ELSEVIER

Neuroscience Letters 302 (2001) 163–165

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 302

Abe, K., see Sakurai, M., 17
Aksenov, M.Y., Markesbery, W.R., Changes in thiol content and expression of glutathione redox system genes in the hippocampus and cerebellum in Alzheimer's disease, 141
Alleva, E., see Aloe, L., 29
Aloe, L., Fiore, M., Santucci, D., Amendola, T., Antonelli, A., Francia, N., Corazzi, G., Alleva, E., Effect of hypergravity on the mouse basal expression of NGF and BDNF in the retina, visual cortex and geniculate nucleus: correlative aspects with NPY immunoreactivity, 29
Ambrosini, M.V., see Fredduzzi, S., 121
Amendola, T., see Aloe, L., 29
Anderton, B., see Beasley, C., 117
Andrade da Costa, B.L.d.S., de Mello, F.G., Hokoç, J.N., Comparative study of glutamate mediated γ-aminobutyric acid release from nitric oxide synthase and tyrosine hydroxylase immunoreactive cells of the *Cebus apella* retina, , 21
Antonelli, A., see Aloe, L., 29
Apelt, J., see Hartlage-Rübsamen, M., 73
Arguelles, J., see Menendez-Vallina, R., 125
Awaya, T., see Matsubara, K., 65

Bakshi, V.P., see Lombardo, K.A., 81
Balachandran, J.S., see Lombardo, K.A., 81
Bang, O.Y., see Kim, H., 58
Bardo, M.T., Robinet, P.M., Mattingly, B.A., Margulies, J.E., Effect of 6-hydroxydopamine or repeated amphetamine treatment on mesencephalic mRNA levels for AMPA glutamate receptor subunits in the rat, 133
Beasley, C., Cotter, D., Khan, N., Pollard, C., Sheppard, P., Varndell, I., Lovestone, S., Anderton, B., Everall, I., Glycogen synthase kinase-3β immunoreactivity is reduced in the prefrontal cortex in schizophrenia, 117
Benhidjeb, T., see Grüsser, S.M., 13
Bertelli, A.A.E., see Nicolini, G., 41
Bertrand, S., Cazalets, J.-R., Buño, W., Corrigendum to "N- and P/Q-type Ca^{2+} channels are involved in neurotransmitter release but not in synaptic depression in the spinal cord of the neonatal rat" [Neurosci. Lett. 295 (2000) 29–32], 161
Bian, W., see Yan, Y., 89
Bolha, B., see Maurer, C., 45
Bouchelet, I., see Terrón, J.A., 9
Brime, J.I., see Menendez-Vallina, R., 125
Buño, W., see Bertrand, S., 161
Burgos, H., see Hernández, A., 1

Cazalets, J.-R., see Bertrand, S., 161
Cha, C.I., see Chung, Y.H., 93
Chen, L., see Chen, X.Y., 85
Chen, X.Y., Chen, L., Wolpaw, J.R., Time course of H-reflex conditioning in the rat, 85
Chiba, K., see Matsubara, K., 65
Chihara, K., see Kimura, K., 154
Choe, B.K., see Kim, M.J., 109
Chung, J.-H., see Kim, M.J., 109
Chung, Y.H., Shin, C.-M., Kim, M.J., Cha, C.I., Enhanced expression of L-type Ca^{2+} channels in reactive astrocytes after ischemic injury in rats, 93
Cookson, M.R., see Williams, R.E., 146
Corazzi, G., see Aloe, L., 29
Costenla, A.R., Lopes, L.V., de Mendonça, A., Ribeiro, J.A., A functional role for adenosine A_3 receptors: modulation of synaptic plasticity in the rat hippocampus, , 53
Cotter, D., see Beasley, C., 117

Dabhia, N., see Lassiter, H.A., 37
de Mello, F.G., see Andrade da Costa, B.L.d.S., 21
de Mendonça, A., see Costenla, A.R., 53
De Nil, L.F., Kroll, R.M., Houle, S., Functional neuroimaging of cerebellar activation during single word reading and verb generation in stuttering and nonstuttering adults, 77
Del Soldato, P., see Fredduzzi, S., 121
Díaz-Cabiale, Z., see Razani, H., 160
Doppelmayr, M., see Klimesch, W., 49

Esteban, I., see Menendez-Vallina, R., 125
Everall, I., see Beasley, C., 117

Facci, L., see Ginham, R., 113
Feldhoff, P.W., see Lassiter, H.A., 37
Feldhoff, R.C., see Lassiter, H.A., 37
Figlewicz, D.A., see Williams, R.E., 146
Fiore, M., see Aloe, L., 29
Flor, H., see Grüsser, S.M., 13
Francia, N., see Aloe, L., 29
Fray, A.E., see Williams, R.E., 146
Fredduzzi, S., Mariucci, G., Tantucci, M., Del Soldato, P., Ambrosini, M.V., Nitro-aspirin (NCX4016) reduces brain damage induced by focal cerebral ischemia in the rat, 121
Fritzsche, K., see Grüsser, S.M., 13
Fuxe, K., see Razani, H., 160
Fuxe, K., see Rinken, A., 5

Ginham, R., Harrison, D.C., Facci, L., Skaper, S., Philpott, K.L., Upregulation of death pathway molecules in rat cerebellar granule neurons undergoing apoptosis, 113
Grüsser, S.M., Winter, C., Schaefer, M., Fritzsche, K., Benhidjeb, T., Tunn, P.-U., Schlag, P.M., Flor, H., Perceptual phenomena after unilateral arm amputation: a pre-post-surgical comparison, , 13

Ha, S.D., see Kim, H., 58

PII: S0304-3940(01)01724-4

Hamel, E., see Terrón, J.A., 9
Harrison, D.C., see Ginham, R., 113
Hartlage-Rübsamen, M., Apelt, J., Schliebs, R., Fibrillary beta-amyloid deposits are closely associated with atrophic nitric oxide synthase (NOS)-expressing neurons but do not upregulate the inducible NOS in transgenic Tg2576 mouse brain with Alzheimer pathology, 73
Hattori, N., see Zeng, X.-T., 101
Hayase, N., see Matsubara, K., 65
Hayashi, T., see Sakurai, M., 17
Hernández, A., Laurido, C., Mondaca, M., Pelissier, T., Burgos, H., Soto-Moyano, R., Lesion of the bulbospinal noradrenergic pathways blocks desipramine-induced inhibition of the C-fiber evoked nociceptive reflex in rats, 1
Herringa, R.J., see Lombardo, K.A., 81
Higashida, T., see Zeng, X.-T., 101
Hirakura, Y., see Satoh, Y., 97
Hirashima, N., see Satoh, Y., 97
Hlavacka, F., see Maurer, C., 45
Hokoç, J.N., see Andrade da Costa, B.L.d.S., 21
Holman, B.J., see Tomita, M., 129
Hong, H.S., see Kim, H., 58
Houle, S., see De Nil, L.F., 77
Hsu, D.T., see Lombardo, K.A., 81
Huh, K., see Kim, H., 58

Ichinohe, N., Iwatsuki, H., Shoumura, K., Intrastriatal targets of projection fibers from the central lateral nucleus of the rat thalamus, 105
Inagaki, C., see Zeng, X.-T., 101
Inagaki, S., see Maeda, S., 137
Itoyuama, Y., see Sakurai, M., 17
Iwatsuki, H., see Ichinohe, N., 105

Jaskiw, G.E., Lipska, B.K., Karoum, F., Weinberger, D.R., Exposure of a 'witness rat' to one treated with β-carboline FG 7142 does not increase dopamine turnover in the medial prefrontal cortex of the 'witness rat', 151
Jing, N., see Yan, Y., 89
Jung, M.W., see Kim, H., 58

Kalin, N.H., see Lombardo, K.A., 81
Kanda, F., see Kimura, K., 154
Karoum, F., see Jaskiw, G.E., 151
Kawaguchi, H., see Maeda, S., 137
Khan, N., see Beasley, C., 117
Ki, C.-S., Na, D.L., Kim, H.J., Kim, J.-W., Alpha-1 antichymotrypsin and alpha-2 macroglobulin gene polymorphisms are not associated with Korean late-onset Alzheimer's disease, 69
Kim, B.S., see Kim, M.J., 109
Kim, C.-J., see Kim, M.J., 109
Kim, H., Bang, O.Y., Jung, M.W., Ha, S.D., Hong, H.S., Huh, K., Kim, S.U., Mook-Jung, I., Neuroprotective effects of estrogen against beta-amyloid toxicity are mediated by estrogen receptors in cultured neuronal cells, 58
Kim, H.J., see Ki, C.-S., 69
Kim, J.-W., see Ki, C.-S., 69
Kim, J.-W., see Kim, M.J., 109
Kim, M.J., Kim, Y., Kim, S.A., Lee, H.J., Choe, B.K., Nam, M., Kim, B.S., Kim, J.-W., Yim, S.-V., Kim, C.-J., Chung, J.-H., Increases in cell proliferation and apoptosis in dentate gyrus of anorexia (*anx/anx*) mice, 109
Kim, M.J., see Chung, Y.H., 93
Kim, S.A., see Kim, M.J., 109
Kim, S.U., see Kim, H., 58
Kim, Y., see Kim, M.J., 109
Kimura, K., Kanda, F., Okuda, S., Chihara, K., Insulin-like growth factor 1 inhibits glucocorticoid-induced glutamine synthetase activity in cultured L6 rat skeletal muscle cells, 154
Kimura, K., see Matsubara, K., 65
Kirino, Y., see Satoh, Y., 97
Kitagawa, K., see Zeng, X.-T., 101
Klimesch, W., Doppelmayr, M., Stadler, W., Pöllhuber, D., Sauseng, P., Röhm, D., Episodic retrieval is reflected by a process specific increase in human electroencephalographic theta activity, , 49
Kroll, R.M., see De Nil, L.F., 77
Kubo, T., see Nishiike, S., 33

Lassiter, H.A., Feldhoff, R.C., Dabhia, N., Parker Jr., J.C., Feldhoff, P.W., Complement inhibition does not reduce post-hypoxic-ischemic cerebral injury in 21-day-old rats, 37
Laurido, C., see Hernández, A., 1
Lee, H.J., see Kim, M.J., 109
Lipska, B.K., see Jaskiw, G.E., 151
Lombardo, K.A., Herringa, R.J., Balachandran, J.S., Hsu, D.T., Bakshi, V.P., Roseboom, P.H., Kalin, N.H., Effects of acute and repeated restraint stress on corticotropin-releasing hormone binding protein mRNA in rat amygdala and dorsal hippocampus, 81
Lopes, L.V., see Costenla, A.R., 53
Lovestone, S., see Beasley, C., 117

Maeda, S., Inagaki, S., Kawaguchi, H., Song, W.-J., Separation of signal and noise from in vivo optical recording in Guinea pigs using independent component analysis, 137
Manning, P.M., see Williams, R.E., 146
Margulies, J.E., see Bardo, M.T., 133
Mariucci, G., see Fredduzzi, S., 121
Markesbery, W.R., see Aksenov, M.Y., 141
Matsubara, K., Senda, T., Uezono, T., Awaya, T., Ogawa, S., Chiba, K., Shimizu, K., Hayase, N., Kimura, K., L-Deprenyl prevents the cell hypoxia induced by dopaminergic neurotoxins, MPP^+ and β-carbolinium: a microdialysis study in rats, 65
Mattingly, B.A., see Bardo, M.T., 133
Maurer, C., Mergner, T., Bolha, B., Hlavacka, F., Human balance control during cutaneous stimulation of the plantar soles, , 45
Menendez-Vallina, R., Perillan, C., Arguelles, J., Esteban, I., Brime, J.I., Vijande, M., Vega, J.A., Partial aortic ligature induces selective long-term c-fos like immunoreactivity in the organum vasculosum of the lamina terminalis, medial preoptic area and choroid plexus in the rat, 125
Menzies, F.M., see Williams, R.E., 146
Mergner, T., see Maurer, C., 45
Mikami-Uriu, T., see Zeng, X.-T., 101
Miloso, M., see Nicolini, G., 41
Misane, I., see Razani, H., 160
Mondaca, M., see Hernández, A., 1
Mook-Jung, I., see Kim, H., 58

Na, D.L., see Ki, C.-S., 69
Nagai, M., see Wada, M., 157
Nakamura, S., see Nishiike, S., 33
Nam, M., see Kim, M.J., 109

Nicolini, G., Rigolio, R., Miloso, M., Bertelli, A.A.E., Tredici, G., Anti-apoptotic effect of *trans*-resveratrol on paclitaxel-induced apoptosis in the human neuroblastoma SH-SY5Y cell line, , 41
Nishiike, S., Uno, A., Kubo, T., Yamatodani, A., Takeda, N., Nakamura, S., Effect of AF64A, a cholinergic neurotoxin, on footshock stimulation-induced locus coeruleus excitation in rats, 33

Ogawa, S., see Matsubara, K., 65
Ögren, S.O., see Razani, H., 160
Okuda, S., see Kimura, K., 154
Omori, K., see Zeng, X.-T., 101
Otani, H., see Zeng, X.-T., 101

Parker Jr., J.C., see Lassiter, H.A., 37
Pelissier, T., see Hernández, A., 1
Perillan, C., see Menendez-Vallina, R., 125
Philpott, K.L., see Ginham, R., 113
Pollard, C., see Beasley, C., 117
Pöllhuber, D., see Klimesch, W., 49
Potier, S., Psarropoulou, C., Endogenous acetylcholine facilitates epileptogenesis in immature rat neocortex, , 25
Psarropoulou, C., see Potier, S., 25

Raidaru, G., see Rinken, A., 5
Razani, H., Díaz-Cabiale, Z., Misane, I., Wang, F.-H., Fuxe, K., Ögren, S.O., Erratum to "Prolonged effects of intraventricular galanin on a 5-hydroxytryptamine$_{1A}$ receptor mediated function in the rat" [Neurosci. Lett. 299 (2001) 145–149], 160
Ribeiro, J.A., see Costenla, A.R., 53
Rigolio, R., see Nicolini, G., 41
Rinken, A., Terasmaa, A., Raidaru, G., Fuxe, K., D_2 dopamine receptor-G protein coupling. Cross-regulation of agonist and guanosine nucleotide binding sites, 5
Robinet, P.M., see Bardo, M.T., 133
Röhm, D., see Klimesch, W., 49
Roseboom, P.H., see Lombardo, K.A., 81

Sakurai, M., Hayashi, T., Abe, K., Itoyuama, Y., Tabayashi, K., Induction of phosphatidylinositol 3-kinase and serine-threonine kinase-like immunoreactivity in rabbit spinal cord after transient ischemia, , 17
Santoro, T.J., see Tomita, M., 129
Santucci, D., see Aloe, L., 29
Satoh, Y., Hirakura, Y., Shibayama, S., Hirashima, N., Suzuki, T., Kirino, Y., β-Amyloid peptides inhibit acetylcholine release from cholinergic presynaptic nerve endings isolated from an electric ray, 97
Sauseng, P., see Klimesch, W., 49
Schaefer, M., see Grüsser, S.M., 13
Schlag, P.M., see Grüsser, S.M., 13
Schliebs, R., see Hartlage-Rübsamen, M., 73
Senda, T., see Matsubara, K., 65
Shaw, P.J., see Williams, R.E., 146
Sheppard, P., see Beasley, C., 117
Shibayama, S., see Satoh, Y., 97
Shimizu, K., see Matsubara, K., 65
Shin, C.-M., see Chung, Y.H., 93
Shoumura, K., see Ichinohe, N., 105
Skaper, S., see Ginham, R., 113
Song, W.-J., see Maeda, S., 137
Soto-Moyano, R., see Hernández, A., 1
Stadler, W., see Klimesch, W., 49
Sunaga, N., see Wada, M., 157
Suzuki, T., see Satoh, Y., 97

Tabayashi, K., see Sakurai, M., 17
Takeda, N., see Nishiike, S., 33
Tantucci, M., see Fredduzzi, S., 121
Terasmaa, A., see Rinken, A., 5
Terrón, J.A., Bouchelet, I., Hamel, E., 5-HT$_7$ receptor mRNA expression in human trigeminal ganglia, , 9
Tomita, M., Holman, B.J., Santoro, T.J., Aberrant cytokine gene expression in the hippocampus in murine systemic lupus erythematosus, 129
Tredici, G., see Nicolini, G., 41
Tunn, P.-U., see Grüsser, S.M., 13

Uezono, T., see Matsubara, K., 65
Uno, A., see Nishiike, S., 33

Varndell, I., see Beasley, C., 117
Vega, J.A., see Menendez-Vallina, R., 125
Vijande, M., see Menendez-Vallina, R., 125

Wada, M., Sunaga, N., Nagai, M., Anxiety affects the postural sway of the antero-posterior axis in college students, 157
Wang, F.-H., see Razani, H., 160
Weinberger, D.R., see Jaskiw, G.E., 151
Williams, R.E., Cookson, M.R., Fray, A.E., Manning, P.M., Menzies, F.M., Figlewicz, D.A., Shaw, P.J., Cultured glial cells are resistant to the effects of motor neurone disease-associated SOD1 mutations, 146
Winter, C., see Grüsser, S.M., 13
Wolpaw, J.R., see Chen, X.Y., 85

Yagyu, K., see Zeng, X.-T., 101
Yamatodani, A., see Nishiike, S., 33
Yan, Y., Yang, J., Bian, W., Jing, N., Mouse nestin protein localizes in growth cones of P19 neurons and cerebellar granule cells, 89
Yang, J., see Yan, Y., 89
Yim, S.-V., see Kim, M.J., 109

Zeng, X.-T., Mikami-Uriu, T., Higashida, T., Yagyu, K., Kitagawa, K., Hattori, N., Otani, H., Omori, K., Inagaki, C., Developmental changes in Cl^--ATPase activity in rat brains, 101